







Report No.: SFT20121017323-02E

Date: Dec.16, 2020

Page 1 of 4

Applicant: Dongguan Exciting Technology Co., Ltd.

Address: Dafen Industrial Zone, Wanjiang Street, Dongguan City, Guangdong Province, China

The following merchandise was (were) submitted and identified by client as:Sample Name:Mobile phone protective filmModel No.:EF880Test Period:From Dec.10, 2020 to Dec.16, 2020

# SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION
Total Lead Content in submitted sample by client's request with reference California Proposition 65	PASS
Total Cadmium Content in submitted sample by client's request with reference California Proposition 65	PASS
Phthalates content in submitted sample by client's request with reference California Proposition 65	PASS

Test Result(s): Please refer to next page(s).



Jack Zhong / Technical Manager Guangdong Safety Testing Co., Ltd.

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1<sup>st</sup> North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/









**Report No.:** SFT20121017323-02E

Date: Dec.16, 2020

Page 2 of 4

Test Result(s):

## Total Lead Content in submitted sample by client's request with reference California Proposition 65

# Test method:For metal material: U.S. CPSC-CH-E1001-08.3<br/>For nonmetal material: U.S. CPSC-CH-E1002-08.3<br/>For surface coating: U. S. CPSC-CH-E1003-09.1, analysis was performed by flame atomic absorption<br/>spectrometry (AAS) or Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Maximum Allowable Limit:	100 mg/kg		
Test Component(s)	5	Result (Unit :mg/kg)	Conclusion
1+2+3		ND	PASS

Note / Key :

Remark:

ND = Not detected Report Limit (mg/kg) : 10 mg/kg = milligram per kilogram = ppm = part per million Tested part(s) was/were specified by client Composite testing(s) was/were specified by client

#### Total Cadmium Content in content in submitted sample by client's request with reference California Proposition 65

Test method: EN1122:2001 Method B

Maximum Allowable Limit:	100 mg/kg	9	
Test Component(s)	Result (Unit :mg/kg)		Conclusion
1+2+3	ND	2	PASS

Note / Key :

Remark:

ND = Not detectedReport Limit (mg/kg) : 10mg/kg = milligram per kilogram = ppm = part per millionTested part(s) was/were specified by clientComposite testing(s) was/were specified by client

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1<sup>st</sup> North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/







中国认可 国际互认 检测 TESTING CNAS L7462

**Report No.:** SFT20121017323-02E

Date: Dec.16, 2020

Page 3 of 4

## Phthalates content in submitted sample by client's request with reference California Proposition 65

Test method:

: With reference to U.S. CPSC-CH-C1001-09.4& U.S. CPSC-CH-C1001-09.3, Analyzed by Gas Chromatography-Mass Spectrometer.

Analyte		Result(%,w/w)   Test Component(s)			Requirement
	CAS No.				
		1+2+3	-	<u> </u>	(%,w/w)
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	- /	<u> </u>	0.1
Dibutyl phthalate (DBP)	84-74-2	ND		- / .	0.1
Benzylbutyl phthalate (BBP)	85-68-7	ND			0.1
Di-isononyl phthalate (DINP)	28553-12-0	ND	. ( )		0.1
Di-isodecyl phthatlate (DIDP)	68515-49-1	> ND	$O \sim$	7	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	ND 🕥		<u> </u>	0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	ND	0		0.1
Conclusion		PASS	- <	- 1	- <

Note / Key :

Remark:

ND = Not detectedReport Limit : 0.005%mg/kg = milligram per kilogram = ppm = part per millionTested part(s) was/were specified by clientComposite testing(s) was/were specified by client

10 000 mg/kg = 1 % % = percent

Test Component	Sample Description/ Location	Style
	Transparent plastic film with adhesive(big film)	5-
2	Translucent plastic film	
3	Transparent plastic film with adhesive(small film)	- 6

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,<br/>Guangdong, ChinaTel:86-769-23105888Fax: 86-769-22899858http://www.sft-cert.com/










Page 4 of 4

Report No.: SFT20121017323-02E

Date: Dec.16, 2020

Photo of Sample



\*\*\*End of Report\*\*\*

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1<sup>st</sup> North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/